

Gene-Eden-VIR: A Potential Natural Treatment for Cervical Cancer

Hanan Polansky^{1*}, Will Blesch¹

1. The Center for the Biology of Chronic Disease (CBCD), Rochester, USA.

In 2013, we reported that Gene-Eden-VIR decreases symptoms associated with viral infections, specifically, with the human papillomavirus (HPV). Based on this and other reports, we would like to suggest that the medical community consider Gene-Eden-VIR as a potential treatment for cervical cancer.

Our study specifically measured the effect of Gene-Eden-VIR on "genital warts, low and high grade cervical dysplasia, (and) abnormal Pap smear results" ... (See Pharmacology & Pharmacy, published August 2013) (1) The results showed that, "Seventy three percent (30/41) of the individuals treated with Gene-Eden-VIR reported a decrease in these symptoms (and symptoms of other viruses). Specifically, they reported a decrease in the severity of their symptoms ($p = 0.006$, $n = 45$), a decrease in the duration of their symptoms ($p = 0.009$, $n = 34$), and a decrease in the frequency of their symptoms ($p < 0.001$, $n = 31$). (1)

Gene-Eden-VIR's formula contains five natural ingredients: Selenium, Camellia Sinensis Extract, Quercetin, Cinnamomum Extract, and Licorice Extract. It is interesting that three out of the five ingredients were proven to be effective against the HPV and abnormal growths. These three include Selenium, Camellia Sinensis, and Quercetin.

(Continued on page 2)

Corresponding author:

Hanan Polansky, The Center for the Biology of Chronic Disease (CBCD), Rochester, USA. Phone: 585-250-9999, hpolansky@cbcd.net

Keywords: HPV, human papillomavirus, cervical cancer, cancer, growth inhibitory, anti-growth, catechins, selenium, quercetin, Gene-Eden-VIR.

Received: Nov 21, 2015

Accepted: Feb 17, 2016

Published: Mar 17, 2016;

HPV is known for its ability to cause cervical cancer. Selenium has been shown in multiple studies to have antigrowth properties. Moreover, studies observed that cells lacking in selenium are more susceptible to HPV infection and cancer. For example, Zheng S, *et al.* wrote that "The occurrence of carcinoma of the uterine cervix is closely connected with infection of HPV 16, 18, 35 and HSV2, high level of cellular factors IL-2R, TNF and low level of element Se (selenium)." (2) Zhang S, *et al.* also wrote in another study that "Supplemental dietary selenium is associated with reduced incidence of many cancers. The antitumor function of selenium is thought to be mediated through selenium-binding protein 1 (SELENBP1) ... selenium treatment resulted in reduced cell proliferation in endogenous SELENBP1 high cells.... (3) Moreover, Feng Y, *et al.* showed that "the screening of *in-vitro* anticancer activities demonstrated that SeNPs@AAs (AAs modified selenium nanoparticles) exhibited differential growth inhibitory effects on various human cancer cell lines." (4)

In regard to green tea, Tying wrote that "Numerous published studies have established the health benefits of tea consumption. These health benefits-most specifically those of green tea-have been touted for centuries; however, the bulk of the scientific investigations of green tea have only emerged within the past 30 years or so ... catechins represent 60 to 80 percent of the total polyphenols in green tea ... green tea is mainly produced from the plant *Camellia sinensis*." (5) Importantly, another study by Tying found that "sin catechins in human cervical carcinoma cell lines infected with human papillomavirus ... inhibited cell growth in all four tumor cell lines by 50 percent (GI (50)) at concentrations ranging from 160 to 360 μ M." (6) Additionally, "Extracellular signal-regulated kinases 1/2 (involved in human papillomavirus tumor cell growth) were also inhibited by sin catechins at high concentrations...." (5)

Concerning quercetin's growth inhibitory effects

and anti-HPV properties, Chung-Hsiang Yuan, *et al.*, wrote that "High-risk strains of human papillomaviruses (HPV) cause nearly all cases of cervical cancer as well as a growing number of head and neck cancers. The oncogenicity of these viruses can be attributed to the activities of their two primary oncoproteins, E6 and E7. The E6 protein has among its functions the ability to prevent apoptosis of infected cells through its binding to FADD and caspase 8 ... quercetin inhibited GST-E6 and His-caspase 8 binding in a specific manner." (7) Yang J, *et al.* wrote that "Quercetin, curcumin and Glaucoalyxin A could inhibit cell proliferation, probably through making HeLa cell (of cervical cancer) be in stagnation and inducing its apoptosis." (8) Zhang WT, *et al.* wrote in another study that "HPA was significantly expressed in both cervical cancer cell lines (HeLa and Caski), and it exists both nucleus and cytoplasm. The real-time PCR shows as follows: as the quercetin concentration increased (20, 40 and 80 μ mol/L), the mRNA expression level of HPA decreased ($P < 0.01$)." (9)

In addition, we tested the effect of Gene-Eden-VIR in a pancreatic cancer patient. The results showed that "the addition of Gene-Eden to chemotherapy may have participated in shrinking the tumor and in strengthening the immune system in a case with poor prognosis." (10)

We therefore believe that Gene-Eden-VIR should be considered by medical professionals as an alternative treatment for cervical cancer caused by the HPV.

References:

- (1) Polansky, H. Itzkovitz, E. Gene-Eden-VIR Is Antiviral: Results of a Post Marketing Clinical Study. Published in September 2013.
- (2) Zheng S1, Zhang C, Li L, Han C, Jing J, Zhu Q. "The relationship of cervical cancer with

- pathogen infectious, cytokine and Se.” [Article in Chinese] *Zhonghua Shi Yan He Lin Chuang Bing Du Xue Za Zhi*. 2002 Jun;16
- (3) Zhang S1, Li F, Younes M, Liu H, Chen C, Yao Q. “Reduced selenium-binding protein 1 in breast cancer correlates with poor survival and resistance to the anti-proliferative effects of selenium.” *PLoS One*. 2013 May 21;8(5):e63702.
- (4) Feng Y1, Su J, Zhao Z, Zheng W, Wu H, Zhang Y, Chen T. “Differential effects of amino acid surface decoration on the anticancer efficacy of selenium nanoparticles.” *Dalton Trans*. 2014 Jan 28;43(4):1854-61.
- (5) Tyring SK1. “Sin catechins: Effects on HPV-Induced Enzymes Involved in Inflammatory Mediator Generation.” *J Clin Aesthet Dermatol*. 2012 Jan;5(1):19-26.
- (6) Tyring SK “Effect of Sin catechins on HPV-Activated Cell Growth and Induction of Apoptosis.” *J Clin Aesthet Dermatol*. 2012 Feb;5(2):34-41.
- (7) Chung-Hsiang Yuan,^a Maria Filippova,^a Sandy S. Tungteakkhun,^a Penelope J. Duerksen-Hughes,^a and John L. Krstenansky “Small molecule inhibitors of the HPV16-E6 interaction with caspase 8.” *Bioorg Med Chem Lett*. 2012 Mar 1; 22(5): 2125–2129. Published online 2012 Jan 10.
- (8) Yang J1, Li J2, Sun M3, Chen K1. “Studies of traditional Chinese medicine monomer on HeLa cell of cervical cancer.” *Pak J Pharm Sci*. 2014 Jul;27(4 Suppl):1063-8.
- (9) Zhang WT1, Zhang W, Zhong YJ, Lü QY, Cheng J. “Impact of quercetin on the expression of heparanase in cervical cancer cells.” [Article in Chinese] *Zhonghua Fu Chan Ke Za Zhi*. 2013 Mar;48(3):198-203.
- (10) Polansky, H and Dafni, I “Gene-Eden, a broad range, natural antiviral supplement, may shrink tumors and strengthen the immune system.” *Acta Oncologica*, 2010; 49: 397–399